

OPERA
COLLECTION
菲系列
FREE
SERIES
WIFI
CERAMICHE
唯杰



WIFI CERAMICHE 唯梵

OPERA

CEMENT COLLECTIONS

By definition, an Opus is a created work by man, usually of an artistic kind. It is creative and beautiful - a definite work of art to the eye of the beholder.

OPUS, a unique glazed porcelain tile collection that offers designs inspired by man-made materials in the architecure world. Opus tiles provides infinite possibilities to the diserning when it comes to beautiful, modern spaces. Its range of versatile, neutral hues also aims to delight the senses.

FREE

Introducing the another addition to our OPERA collection: FREE. This innovative series of porcelain tiles embodies contemporary elegance and versatility. Crafted with precision, FREE features a sleek cement-inspired design that exudes modern sophistication. Unlike traditional rustic tiles, FREE brings a clean and minimalist aesthetic to any space, making it the perfect choice for those seeking understated luxury. Experience the freedom to elevate your interiors with the timeless beauty of FREE porcelain tiles from the OPERA collection.

FREE **ASH**

FRE603

60X60

12 FACES

MATTE
surface

OPERA
TERRAZZO COLLECTIONS





FEATURED FLOOR
FRE603
60X60



FEATURED FLOOR
FRE603
60X60

PIEDRA
STONE COLLECTIONS

FREE **CINDER**

FRE604

60X60

12 FACES

MATTE
surface

OPERA
TERRAZZO COLLECTIONS






FEATURED FLOOR
FRE604
60X60



FEATURED FLOOR
FRE604
60X60

PIEDRA
STONE COLLECTIONS



FREE **GRIGIO**


FRE605

60X60

12 FACES

MATTE
surface

OPERA
TERRAZZO COLLECTIONS





FEATURED FLOOR & WALL
FRE605
60X60



FEATURED FLOOR & WALL
FRE605
60X60

PIEDRA
STONE COLLECTIONS



FREE **COAL**

FRE608

60X60

12 FACES

MATTE
surface

OPERA TERRAZZO COLLECTIONS





FEATURED FLOOR
FRE608
60X60



FEATURED FLOOR
FRE608
60X60

PIEDRA
STONE COLLECTIONS

TECHNICAL SPECIFICATIONS

DESCRIPTION	STANDARD TEST	MEASUREMENT UNIT	ISO STANDARD REQUIREMENT	WIFi
Length & Width	ISO 10545 - 2	mm	± 0.5% Max	± 0.5% Max
Thickness	ISO 10545 - 2	mm	± 5.0% Max	± 5.0% Max
Sides Straightness	ISO 10545 - 2	mm	± 0.5% Max	± 0.5% Max
Rectangularity	ISO 10545 - 2	mm	± 0.6% Max	± 0.6% Max
Flatness: a) Centre Curvature b) Edge Curvature c) Warpage	ISO 10545 - 2 ISO 10545 - 2 ISO 10545 - 2	mm mm mm	± 0.5% Max ± 0.5% Max ± 0.5% Max	± 0.5% Max ± 0.5% Max ± 0.5% Max
Surface Quality	ISO 10545 - 2	One major area of tiles	≥ 95% free from visible defect	≥ 95% free from visible defect
Water Absorption	ISO 10545 - 3	Mass	≤ 0.5%	0.05%
Modulus of Rupture	ISO 10545 - 4	N/mm2	≥ 35N/mm2	≥ 35N/mm2
Deep Abrasion	ISO 10545 - 6	mm3	≤ 175 mm3	≤ 175 mm3
Surface Abrasion PEI ASTM C1027	ISO 10545 - 7	Visual Check	Manuf. to state Abrasion Class, Cycle Passed	Manuf. to state Abrasion Class, Cycle Passed
Crazing Test	ISO 10545 - 11	Visual Check	Not Applicable for porcelain tiles	Not Applicable for porcelain tiles
Frost Resistance	ISO 10545 - 12	Visual Check	Required	Required
Chemical Resistance (Low Cons.)	ISO 10545 - 13	Visual Check	Manuf. to state	Manuf. to state
Chemical Resistance (Household/Swimming Pool)	ISO 10545 - 13	Visual Check	Max Visible Change On Cut Side	Max Visible Change On Cut Side
Stain Resistance	ISO 10545 - 14	Visual Check	Class 3 Min	Class 3 Min
Coefficient of Friction	ISO 10545 - 17	Manuf. to state	Manuf. to state	Manuf. to state

Each different tiles series is produced to meet different performance requirements. For specific product technical performance, please request from WIFi sales team or their agent or distributor.

Colour Variations: Since the colour reproduction in this printed piece will vary from the actual tile colours, final selection should be made from tile samples. Colour, shade and glaze variations may exist due to the inherent characteristics of porcelain tile.

WIFi CERAMICS

No. 13-17, Building A16,
International Ceramics and Sanitary Ware City,
Jihua West Road, Nanzhuang Town,
Chancheng District, Foshan City
Guangdong Province, China.

+86-757-8252 5001
info@wificeramics.com
www.wificeramics.com